Search Session History

Wed, 15 Mar 2006, 1:49:23 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display

- Combine search queries using AND, OR, or NOT

- Delete a search

- Run a search

Recent Search Queries

#	Query	Results
#1	(((((zero coding) <and> (run length))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 2003)	0
#2	(((((zero coding) <and> (run length coding))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 2003)	0
#3	(((((zero coding))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 2003)	33
#4	(((((zero coding) <and> (run length))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 2003)	0
#5	(((((zero coding))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 2003)	33
#6	(((((zero coding) <and> (all <phrase> (0 <or> zero))) <in>metadata)) <and> (pyr >= 1951 <and> pyr <= 2003)	0

Help   Contact Us   Privacy & Security   IEEE.org

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	all near1 zero with "and"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21
L2	0	all near5 zero with "and"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21
L3	0	all with zero with "and"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21
L4	1	all with "0" with "and"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:21
L5	323	zero with mask$4 with "and"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:23
L6	0	5 same all near2 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:33
L7	30	5 with (row or column or line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:34
L8	270	all near2 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:34

EAST Search History

L9	55040	(row or column or line) with "and"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:34
L10	36745	(flag or index) near2 (zero or "0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:35
L11	0	8 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:35
L12	0	8 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:35
L13	84	9 same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:36
L14	25	9 with 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:12
L15	59	13 not 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:16
L16	7	8 with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:16